


SMT



Circular

Fluorescent Downlights

A new product with an eligible characteristic that uses creative design with modern production, the SMT Series demonstrates how local production capability can be combined with advanced techniques and materials in a creative and modern approach. It provides comfortable no-glare light suitable for any venue and attractive optical characteristics due to its use of frosted glass. This multipurpose manufactured product also allows the circular fluorescent lamp to be used with LED or adjustable halogen lamps.

CIRCULAR FLUORESCENT DOWNLIGHTS/ (SMT)



SMT/H



Description

Body: Manufactured from 1,5mm thick spun aluminum
Glass: 4mm thick tempered, frosted glass

Code

SMT/H

Lamp

FC55W+35W QR111
 FC55W+50W QR111

Color

Aluminum

Box Dimensions

Inside box 1 PCS.
 SMT/H 420x420x160 mm

Weight


SMT/H 2.350 gr

Cut-out: Ø 378 mm


Protection: IP20



Dimensions



SMT/L



Description

Body: Manufactured from 1,5mm thick spun aluminum and painted with 80 micron electrostatic powder paint
Glass: 4mm thick tempered, frosted glass
L: Led

Code

SMT/L 40
 SMT/L 55

Lamp

FC40 W+SMD Led
 FC55 W+SMD Led

Color

White
 White

Box Dimensions

Inside box 1 PCS.
 SMT/L 420x420x160 mm

Weight


SMT/L 2.300 gr

Cut-out: Ø 378 mm

Protection: IP20



Dimensions



CIRCULAR FLUORESCENT DOWNLIGHTS / (SMT)



SMT/A



Description


Body: Manufactured from 1,5mm thick spun aluminum and painted with 80 micron electrostatic powder paint
Glass: 4mm thick tempered, frosted glass

Code	Lamp	Color
SMT/A 40	FC40 W	White
SMT/A 55	FC55 W	White

Box Dimensions	Weight
Inside box 1 PCS. SMT/A 420x420x160 mm	SMT/A 2.200 gr

Cut-out: Ø 378 mm	Protection: IP40
-------------------	------------------

Dimensions



SMT/K



Description


Body: Manufactured from 1,5mm thick spun aluminum and painted with 80 micron electrostatic powder paint
Glass: 4mm thick tempered, frosted glass

Code	Lamp	Color
SMT/K 40	FC40 W	White
SMT/K 55	FC55 W	White

Box Dimensions	Weight
Inside box 1 PCS. SMT/K 420x420x160 mm	SMT/K 2.300 gr

Cut-out: Ø 378 mm	Protection: IP40
-------------------	------------------

Dimensions



CIRCULAR FLUORESCENT DOWNLIGHTS/ (SMT)



SMT/S



Description

Body: Manufactured from 1,5mm thick spun aluminum and painted with 80 micron electrostatic powder paint
Glass: 4mm thick tempered, frosted glass
S: Speaker

Code	Lamp	Color
SMT/S 40	FC40 W	White
SMT/S 55	FC55 W	White

Box Dimensions	Weight
Inside box 1 PCS. SMT/S 420x420x160 mm	SMT/S 2.500 gr

Cut-out: Ø 378 mm	Protection: IP40
-------------------	------------------

Dimensions

